INDEX, WESTERN BIRDS, VOLUME 10, 1979

Compiled by *Mildred Comar*

Accipiter cooperii, 3-15
gentilis, 3, 4, 7, 11-14, 222
striatus, 3-15
Actitis macularia, 207, 213
Adams, John K. and Virgil E. Scott, Timber harvest modification around an active Osprey nest, 157-158
Aechmophorus occidentalis, 14, 52, 53
Aegolius acadicus, 69
funereus, 64
Aimophila cassinii, 163-164, 185
ruficeps scottii, 45-46
Ainley, David G. and Bill Manolis, Occurrence and distribution of the Mottled Petrel, 113-123
Aix sponsa, 221
Ajaia ajaja, 166, 221, 222
Akepa, 71-80
Albatross, Short-tailed, 172
Wandering, 171
Amakihi, 71-80
Amazilia verticalis, 177
Ammodramus bairdii, 63
savannarum, 69, 164
Ammospiza caudacuta, 69, 185
leconteii, 63, 69, 184, 188
Anas cyanoptera, 96
diazi, 58
discors, 96
fulvigula, 58
penelope, 59
querquedula, 173
strepera, 221
Andrews, Robert, Colorado Field Ornithologists Official Records Committee Report, 1976-1977, 57-70
Ani, Grove-billed, 58, 177
Anthus spinoletta, 203-206, 210, 211
spragueii, 62, 180
Antrim, Brooke, S., see Baltz, D.
Aphelocoma coerulescens, 46
Aquila chrysaetos, 4-13, 205, 208
Ardea herodias, 221
Arenaria melanocephala, 207
Asio flammeus, 205, 208
Atwood, Jonathan L., Robbery of nesting materials by the Calliope Hummingbird, 43-44
Auklet, Cassin's, 52
Parakeet, 189-200
Rhinoceros, 52, 193, 196
Aythya collaris, 221
fuligula, 173
valisineria, 221
Baltz, Donald M., G. Victor Morejohn and Brooke S. Antrim, Size selective predation and food habits of two California terns, 17-24
Baptista, Luis F., see Wells, S.
Bartramia longicauda, 175
Binford, Laurence C., Fall migration of diurnal raptors at Pt. Diablo, California, 1-16
Blackbird, Rusty, 184, 211
Bonasa umbellus, 58
Booby, Masked (Blue-faced), 172
Red-footed, 172
Brachyramphus brevirostris, 186
Brant, 173
Branta bernicla hrota, 173
canadensis, 159-162
Bubulcus ibis, 37-41, 59, 221
Bunting Lark, 164
Painted, 184
Snow, 185
Varied, 184
Bushtit, 46
Buteo albonotatus, 174
jamaicensis, 3-15
lagopus, 4-14, 208, 209, 213
lineatus, 3-15, 59
platypterus, 4-15, 64, 174
regalis, 4, 8, 12, 14
swainsoni, 4-14
Butorides striatus, 59
Calamospiza melanocorys, 164
Calcarius lapponicus, 210, 211, 213
Calidris acuminata, 58, 86-91, 175
ferruginea, 175
fuscicollis, 175
mauri, 213
melanotos, 86-91
minutilla, 207, 213
pusilla, 175
Calonectris leucomelas, 172
Calypte costae, 143

Campbell, R. Wayne, see Sealy, S.
Canvasback, 221
Capella gallinago, 207
Cardellina rubrifrons, 183
Cardiff, Steven, see Remsen, J.
Carduelis flammea, 206, 211, 213
pinus, 206, 211, 213
Carpodacus purpureus, 63
Castetter, Richard C. and Herbert O. Hill, Additions to the birds of the Nevada Test Site, 221-223
Catbird, Gray, 179
Cathartes aura, 3-15, 125-130
Catharus fuscescens, 180
guttatus, 205, 206, 208, 209, 213
minimus, 61, 70, 206, 210
Catherpes mexicanus, 61, 223
Catoptrophorus semipalmatus, 222
Cerorhinca monocerata, 52, 193, 196
Charadrius alexandrinus, 69
melodus, 60, 174, 175
semipalmatus, 207, 213
vociferus, 86, 91, 92
Chaetura sp., 61
Chen caerulescens, 221
rossii, 59
Chlidonias niger, 222
Cinclus mexicanus, 215-216
Circus cyaneus, 3-15
Cistothorus platensis, 61
Coccyzus erythropthalmus, 177
Colaptes auratus, 61, 224
Conant, Sheila, see Scott, J.
Conover, Michael R., Bruce C. Thompson, Richard E. Fitzner and Don E. Miller, Increasing populations of Ring-billed and California gulls in Washington State, 31-36
Conry, Jeanne A., see Webb, B.
Contopus pertinax, 179
sordidulus, 206, 208
virens, 179
Cord, Bart and Joseph R. Jehl, Jr., Distribution, biology, and status of a relict population of Brown Towhee (*Pipilo fuscus eremophilus*), 131-156
Cormorant, Double-crested, 221
Corvus corax, 203, 205, 208, 209
Creeper, Hawaiian, 71-80
Crossbill, Red, 223
White-winged, 205, 206, 210, 211
Crotophaga sulcirostris, 58, 177
Cuckoo, Black-billed, 177
Cyanocitta cristata, 179
cristata x stelleri, 65
Cyclorrhynchus psittacula, 189-200
Cygnus bewickii, 172
columbianus, 172, 173
Cynanthus latirostris, 178
Danforth, Douglas W., Aztec Thrush in Arizona, An, 217-218
Davis, Deborah, Morning and evening roosts of Turkey Vultures at Malheur Refuge, Oregon, 125-130
Dendrocygna autumnalis, 173
Dendroica castanea, 182
cerulea, 181
discolor, 62, 66
dominica, 62, 181, 182
fusca, 69
graciae, 182
nigrescens, 46
occidentalis, 62
pensylvanica, 182
petechia, 206, 210-213
pinus, 62, 183
tigrina, 62, 181
virens, 181
Dickcissel, 69
Diomedia albatrus, 172
exulans, 171
Dipper, 215-216
Dotterel, 92-94, 174
Dove, White-winged, 60
Dowitcher, Long-billed, 86
Short-billed, 60
Duck, Harlequin, 59, 64, 207
Mexican, 58
Mottled, 58
Ring-necked, 221
Tufted, 173
Wood, 221
Dumetella carolinensis, 179
Dunn, Jon, see Luther, J.
Eagle, Bald, 13, 205, 208, 209, 222
Golden, 4-13, 205, 208
Egret, Cattle, 37-41, 59, 221
Snowy, 38
Egretta thula, 38
Eider, King, 174
Spectacled, 186
Elanus leucurus, 3-15, 165
Ellis, David H. and Gale Monson, White-tailed Kite records for Arizona, 165
Empidonax alnorum, 69
minimus, 179
traillii, 185

Endomychura craveri, 25
hypoleuca, 25, 28
h. hypoleuca, 81-82
h. scrippsi, 81-82
Eremophila alpestris, 206, 208
Eudocimus albus, 172
Eudromias morinellus, 92-94, 174
Euphagus carolinus, 184, 211
Faanes, Craig A., Bruce A. Hanson and Harold A. Kantrud, Cassin's Sparrow - first record for Wyoming and recent range extensions, 163-164
Falco columbarius, 13, 205, 209
mexicanus, 4, 5, 7, 13
peregrinus, 4-14, 203, 205, 208, 209, 222
sparverius, 3-15
Falcon, Peregrine, 4-14, 203, 205, 208, 209, 222
Prairie, 4, 5, 7, 13
Finch, Black Rosy, 184
Gray-crowned Rosy, 203, 204, 206, 210, 211
Purple, 63
Fitzner, Richard E., see Conover, M.
Flicker, Common, 61, 224
Florida caerulea, 59
Flycatcher, Alder, 69
Coues', 179
Great Crested, 178
Least, 179
Olivaceous, 178
Scissor-tailed, 222
Sulphur-bellied, 178
Vermilion, 61, 69
Willow, 185
Fratercula corniculata, 177, 196
Fregata magnificens, 172
Frigatebird, Magnificent, 172
Fulmar, Northern, 49-56, 121
Fulmarus glacialis, 49-56, 121
Gadwall, 221
Garganey, 173
Gavia adamsii, 96, 171
arctica, 52, 53, 59
stellata, 59
Gnatcatcher, Black-tailed, 223
Blue-gray, 43, 46
Godwit, Bar-tailed, 176
Hudsonian, 60
Goose, Canada, 159-162
Snow, 221
Ross', 59
Goshawk, 3, 4, 7, 11-14, 222
Grackle, Common, 184
Great-tailed, 63
Grebe, Red-necked, 52
Western, 14, 52, 53
Grouse, Ruffed, 58
Gull, Black-headed, 177
Black-tailed, 186
California, 14, 31-36
Franklin's, 222
Glaucous-winged, 52, 193, 207
Herring, 55
Iceland, 58
Laughing, 60
Lesser Black-backed, 58, 177
Little, 60, 177
Mew, 52, 207
Ring-billed, 31-36, 42
Thayer's, 60
Western, 52, 53
Haematopus bachmani, 193, 208, 209
palliatus, 174
Haliaeetus leucocephalus, 13, 205, 208, 209, 222
Hanson, Bruce A., see Faanes, C.
Harrington-Tweit, Bill, seabird die-off on the Washington coast in mid-winter, 1976, A, 49-56
Hasenyager, Robert N., Jordan C. Pederson and Albert W. Heggen, Flammulated Owl nesting in a squirrel box, 224
Hawk, Broad-winged, 4-15, 64, 174
Cooper's, 3-15
Ferruginous, 4, 8, 12, 14
Marsh, 3-15
Red-shouldered, 3-15, 59
Red-tailed, 3-15
Rough-legged, 4-14, 208, 209, 213
Sharp-shinned, 3-15
Swainson's, 4-14
Zone-tailed, 174
Hawthorne, Vernon M., Use of nest boxes by Dippers on Sagehen Creek, California, 215-216
Heggen, Albert W., see Hasenyager, R.
Helmitheros vermivorus, 62, 181
Henderson, Philip, Dotterel on Southeast Farallon Island, California, A, 92-94
Heron, Black-crowned Night, 38
Great Blue, 221
Green, 59
Little Blue, 59
Louisiana, 59, 67
Heteroscelus incanus, 213

Hill, Herbert O., see Castetter, R.
Histrionicus histrionicus, 59, 64, 207
Hummingbird, Allen's, 83-85
Blue-throated, 61, 177, 178
Broad-billed, 178
Calliope, 43-44, 69
Costa's, 143
Violet-crowned, 177
Hydranassa tricolor, 59, 67
Ibis, White, 172
Icterus galbula, 69
parisorum, 63
pustulatus, 184
Ictinia mississippiensis, 3, 4, 12, 174
Iridoprocne bicolor, 205, 206, 208, 209
Ixoreus naevius, 61, 206, 208, 209
Jaeger, Parasitic, 60
sp., 60
Jay, Blue, 179
Blue x Steller's, 65
Scrub, 46
Jehl, Joseph R., Jr., Pine cones as granaries for Acorn Woodpeckers, 219-220; see Cord, B.
Kantrud, Harold A., see Faanes, C.
Kestrel, American, 3-15
Killdeer, 86, 91, 92
Kingbird, Thick-billed, 178
Kingfisher, Belted, 205, 209
Kinglet, Golden-crowned, 206, 211
Ruby-crowned, 206, 211
Kite, Mississippi, 3, 4, 12, 174
White-tailed, 3-15, 165
Kittiwake, Black-legged, 49-56, 60, 207
Lampronetta fischeri, 186
Lampornis clemenciae, 61, 177, 178
Lark, Horned, 206, 208
Larus argentatus, 55
atricilla, 60
californicus, 14, 31-36
canus, 52, 207
crassirostris, 186
delawarensis, 31-36, 42
fuscus, 58, 177
glaucescens, 52, 55, 193, 207
glaucoides, 58
minutus, 60, 177
occidentalis, 52
pipixcan, 222
ridibundus, 177
thayeri, 60
Lawson, C.S., Nevada records of Roseate Spoonbill, 166
Leucosticte atrata, 184
tephrocotis, 203, 204, 206, 210, 211
Lidicker, W.Z., Jr. and F.C. McCollum, Canada Goose established as a breeding species in San Francisco Bay, 159-162
Limnodromus griseus, 60
scolopaceus, 86
Limosa haemastica, 60
lapponica, 176
Longspur, Lapland, 210, 211, 213
Loon, Arctic, 52, 53, 59
Red-throated, 59
Yellow-billed, 96, 171
Loxia curvirostra, 223
leucoptera, 205, 206, 210, 211
Loxops coccineus,
coccineus, 71-80
maculatus mana, 71-80
virens virens, 71-80
Lunda cirrhata, 52, 196
Luther, John S., Guy McCaskie and Jon Dunn, Third report of the California Bird Records Committee, 169-187
Manolis, Bill, see Ainley, D.
Manuwal, David A. and Naomi J. Manuwal, Habitat specific behavior of the Parakeet Auklet in the Barren Islands, Alaska, 189-200; Habitat utilization and migration of land birds on the Barren Islands, Alaska, 201-213
Manuwal, Naomi J., see Manuwal, D.
Martin, Purple, 61
McCaskie, Guy, see Luther, J.
McCollum, F.C., see Lidicker, W.
Meadowlark, Eastern, 62
Megaceryle alcyon, 205, 209
Melanerpes erythrocephalus, 61
formicivorus, 219-220
Melanitta deglandi, 50-55, 59
nigra, 59
perspicillata, 52, 59
Melospiza lincolnii, 206, 211
melodia, 206, 210, 211
Merganser, Common, 221
Mergus merganser, 221
Merlin, 13, 205, 209
Miller, Don E., see Conover, M.
Miller, Gary C., and Ronald A. Ryder, Cattle Egret in Colorado, 37-41
Monson, Gale, see Ellis, D.
Morejohn, G. Victor, see Baltz, D.
Murray, Kelvin G., see Winnett, K.

Murre, Common, 25, 28, 49-56, 196
Thick-billed, 177
Murrelet, Ancient, 25-30
Craveri's, 25
Kittlitz's, 186
Xantus', 25, 28, 81-82
Muscivora forficata, 222
Myiarchus crinitus, 178
tuberculifer, 178
Myioborus pictus, 183
Myiodynastes luteiventris, 178
Nuthatch, Pygmy, 61, 77
Red-breasted, 223
Nyctea scandiaca, 177
Nycticorax nycticorax, 38
Oceanites oceanicus, 172
Oceanodroma furcata, 51, 52
leucorhoa, 52
Oenanthe oenanthe, 206, 210
Olor columbianus, 221
Oporornis agilis, 183
formosus, 66, 183
philadelphia, 183
Oriole, Northern, 69
Scott's, 63
Streak-backed (Scarlet-headed), 184
Osprey, 4-13, 157-158
Otus flammeolus, 224
Owl, Boreal, 64
Flammulated, 224
Saw-whet, 69
Short-eared, 205, 208
Snowy, 177
Spotted, 61, 67
Oystercatcher, American, 174
Black, 193, 208, 209
Pandion haliaetus, 4-13, 157-158
Parula americana, 69, 181
Parula, Northern, 69, 181
Parus inornatus, 46
Passerculus sandwichensis, 203, 204, 206, 210, 211, 213
Passerella iliaca, 206, 210, 211, 213
Passerina ciris, 184
versicolor, 184
Pederson, Jordan C., see Hasenyager, R.
Petrel, Mottled (Scaled), 51, 52, 113-124, 170
Pewee, Eastern Wood, 179
Western Wood, 206, 208
Phalacrocorax auritus, 221
Phalaropus fulicarius, 60, 64
Phalarope, Red, 60, 64
Philomachus pugnax, 58, 176
Phoebe, Eastern, 61, 179
Say's, 209
Picoides scalaris, 61
Pipilo chlorurus, 133
erythrophthalmus, 150
fuscus carolae, 131, 150, 153
f. eremophilus, 131-156
f. mesoleucus, 147
f. petulans, 143
f. senicula, 143
Pipit, Sprague's, 62, 180
Water, 203-206, 210, 211
Piranga olivacea, 63, 184
rubra, 63, 69
Plectrophenax nivalis, 185
Plover, Piping, 60, 174, 175
Semipalmated, 207, 213
Snowy, 69
Podiceps grisegena, 52
Polioptila caerulea, 43, 46
melanura, 223
Pratt, H. Douglas, see Scott, J.
Progne subis, 61
Protonotaria citrea, 62, 180
Psaltriparus minimus, 46
Pterodroma inexpectata, 51, 52, 113-124
Ptychoramphus aleuticus, 52
Puffin, Horned, 177, 196
Tufted, 52, 196
Puffinus griseus, 51, 55
tenuirostris, 55, 172
Pyrocephalus rubinus, 61, 69
Pyrrhuloxia, 184
Pyrrhuloxia sinuata, 184
Quiscalus mexicanus, 63
quiscula, 184
Rail, King, 58, 65
Rallus elegans, 58, 65
Raven, Common, 203, 205, 208, 209
Redpoll, Common, 206, 211, 213
Redstart, American, 223
Painted, 183
Regulus calendula, 206, 211
satrapa, 206, 211
Remsen, J.V., Jr. and Steven Cardiff, First records of the race *scottii* of the Rufous-crowned Sparrow in California, 45-46
Ridgwayia pinicola, 217-218
Riparia riparia, 206, 208, 209
Rissa tridactyla, 49-56, 60, 207
Robin, American, 205, 209
Rufous-backed, 180
Ruff, 58, 176

Ryder, Ronald A., see Miller, G.
Sandpiper, Buff-breasted, 60, 176
Curlew, 175
Least, 207, 213
Pectoral, 86-91
Semipalmated, 175
Sharp-tailed, 58, 86-91, 175
Solitary, 213
Spotted, 207, 213
Upland, 175
Western, 213
White-rumped, 175
Sayornis phoebe, 61, 179
saya, 209
Scoter, Black, 59
Surf, 52, 59
White-winged, 50-55, 59
Scott, J. Michael, Sheila Conant and H. Douglas Pratt, Field identification of the Hawaiian Creeper on the island of Hawaii, 71-80
Scott, Virgil E., see Adams, J.
Sealy, Spencer G. and R. Wayne Campbell, Posthatching movements of young Ancient Murrelets, 25-30
Seiurus motacilla, 62, 182
Selasphorus sasin sedentarius, 83-85
Setophaga ruticilla, 223
Shearwater, Short-tailed, 55, 172
Sooty, 51, 55
Streaked, 172
Siskin, Pine, 206, 211, 213
Sitta canadensis, 223
pygmaea, 61, 77
Snipe, Common, 207
Somateria spectabilis, 174
Sparrow, Baird's, 63
Brewer's, 163-164
Cassin's, 163-164, 185
Fox, 206, 210, 211, 213
Golden-crowned, 203, 204, 206, 210, 211
Grasshopper, 69, 164
Le Conte's, 63, 69, 184, 188
Lincoln's, 206, 211
Rufous-crowned, 45-46
Savannah, 203, 204, 206, 210, 211, 213
Sharp-tailed, 69, 185
Song, 206, 210, 211
White-crowned, 206, 210
Spiza americana, 69
Spizella breweri, 163-164
Spoonbill, Roseate, 166, 221, 222
Stellula calliope, 43-44, 69
Stercorarius parasiticus, 60
sp., 60
Sterna caspia, 17-24, 68, 222
forsteri, 17-24, 222
Storm-Petrel, Fork-tailed, 51, 52
Leach's, 52
Wilson's, 172
Strix occidentalis, 61, 67
Sturnella magna, 62
Sula dactylatra, 172
leucogaster, 185
sula, 172
Swallow, Bank, 206, 208, 209
Tree, 205, 206, 208, 209
Violet-green, 206, 208, 209
Swan, Bewick's, 172
Tundra, 173
Whistling, 172, 173, 221
Swift sp., 61
Synthliboramphus antiquus, 25-30
Tachycineta thalassina, 206, 208, 209
Tanager, Scarlet, 63, 184
Summer, 63, 69
Tattler, Wandering, 213
Teal, Blue-winged, 96
Cinnamon, 96
Tern, Black, 222
Caspian, 17-24, 68, 222
Forester's, 17-24, 222
Thompson, Bruce C., see Conover, M.
Thrasher, Brown, 223
Curved-billed, 61, 179
Thrush, Aztec, 217-218
Gray-cheeked, 61, 206, 210
Hermit, 205-209, 213
Varied, 61, 206-209
Thryomanes bewickii, 45
Titmouse, Plain, 46
Towhee, Brown, Inyo, 131-156
Green-tailed, 133
Rufous-sided, 150
Toxostoma curvirostre, 61, 179
rufum, 223
Tringa solitaria, 213
Troglodytes aedon, 61
troglodytes, 203-209
Tryngites subruficollis, 60, 176
Turdus migratorius, 205, 209
rufopalliatus, 180
Turnstone, Black, 207
Tyrannus crassirostris, 178
Uria aalge, 25, 28, 49-56, 196
lomvia, 177

Veery, 180
Vermivora celata, 83, 206, 210, 211, 213
chrysoptera, 62, 69, 181
pinus, 62
sordida, 83
Vireo, Gray, 46
Philadelphia, 62, 180
Red-eyed, 180
White-eyed, 62
Yellow-green, 180
Yellow-throated, 62, 180
Vireo flavifrons, 62, 180
flavoviridis, 180
griseus, 62
olivaceus, 180
philadelphicus, 62, 180
vicinior, 46
Vulture, Turkey, 3-15, 125-130
Warbler, Bay-breasted, 182
Blackburnian, 69
Black-throated Gray, 46
Black-throated Green, 181
Blue-winged, 62
Canada, 62, 183
Cape May, 62, 181
Cerulean, 181
Chestnut-sided, 182
Connecticut, 183
Golden-winged, 62, 69, 181
Grace's, 182
Hermit, 62
Hooded, 183
Kentucky, 66, 183
Mourning, 183
Orange-crowned, 83, 206, 210, 211, 213
Pine, 62, 183
Prairie, 62, 66
Prothonotary, 62, 180
Red-faced, 183
Wilson's, 206, 210, 211
Worm-eating, 62, 181
Yellow, 206, 210-213
Yellow-throated, 62, 181, 182
Waterthrush, Louisiana, 62, 182
Webb, Bruce E., and Jeanne A. Conry, Sharp-tailed Sandpiper in Colorado, with notes on plumage and behavior, A, 86-91
Wells, Shirley and Luis F. Baptista, Breeding of Allen's Hummingbird (*Selasphorus sasin sedentarius*) on the southern California mainland, 83-85
Wheatear, 206, 210
Whistling-Duck, Black-bellied, 173
White-eye, Japanese, 72, 73, 75, 78
Wigeon, European, 59
Willet, 222
Wilsonia canadensis, 62, 183
citrina, 183
pusilla, 206, 210, 211
Wingfield, John C., see Winnett, K.
Winnett, Kathy A., Kelvin G. Murray and John C. Wingfield, Southern race of Xantus' Murrelet breeding on Santa Barbara Island, California, 81-82
Woodpecker, Acorn, 219-220
Ladder-backed, 61
Red-headed, 61
Wren, Bewick's, 45
Canyon, 61, 223
House, 61
Short-billed Marsh, 61
Winter, 203-209
Zenaida asiatica, 60
Zonotrichia atricapilla, 203, 204, 206, 210, 211
leucophrys, 206, 210
Zosterops japonicus, 72, 73, 75, 78